Ingeniously simple and reliable level measurement technology



Solutions for the

Synthetics Industry






Versatile solutions for versatile processes

UWT has developed reliable sensor technology for the measurement tasks of the synthetic industry that meets a variety of demanding conditions.

Level Detection:



- Reliable full, demand, empty detection
- Modular product design & KIT solutions
- Sensitive to the lightest bulk materials < 5g/l
- Very low DK values from 1.5
- Heavy mechanical loading
- Anti-caking functionality
- Rotary Paddle Level Switch with SIL 2

Continuous Level Control:



- Use in narrow, high silos up to 100m silo height
- Exact results due to variable sensor weights
- Precise sensor installation with aiming flange
- Unaffected by dust, moisture, noise
- Integrated lens cleaner
- Process temperatures up to 200°C
- Easy installation and commissioning

Continuous and point level detection within synthetics handling processes

UWT offers an extensive range of high-quality sensors for the detection of continuous and level limit measurement for branch-specific applications in the synthetics industry. Measuring technology is used in various areas during the processing and production of plastic granules as well as powders: automotive, windows and doors, foil, packaging, profiles, small plastic parts, rubber, recycling, etc.

Typical processes in synthetics handling plants with UWT recommendations for suitable measurement solutions:

Dosing/Mixing RN CN MN

Storage NB NR RN NT



empty signal in storage silos

Level measurement, overfill protection and







Level measurement in dosing and mixing containers





Main features

- Precise point switching
- Rapid reaction
- Small threaded connection
- Adjustable signal output

Milling

- Compact sensor
- Dustproof design
- Rapid reaction
- Abrasion resistant

Expansion of particle VN MN

• Measuring range up to 100m

• Reliable overfill protection

• Measurement during filling process

Level measurement in automatic moulding

machines, primary & secondary tanks

Main features

Plug and play

Main features

No moving parts

Compact sensor

High sensitivity for finest material

Precision despite electrostatic charging



Injection molding/ **Extrusion** Level measurement in the plastics proces-

sing stage







Main features

- High process pressures
- Variable extension lengths
- Reliable switch off
- Easy installation and commissioning

Level measurement in grinding/milling processes

Grinding/ RN RF VN MN



Main features

Drying RN RF MN

Level measurement in drying process and intermediate container



Main features

- Robust measuring method
- Adjustable signal output
- High process temperatures
- Maintenance free

Discover here a selection of successfully solved applications within the synthetics sector using UWT measurement technology. www.uwt.de/synthetics

The right **measurement** technology for every process within your plant

UWT with its high performance technology and advanced solutions is able to support and ensure the smooth operation of the production process:

- Highest quality means long service life Product performance rating of 99.8%!
- Individual product concepts Flexible, modular and economical
- Planning security through precision Modern sensors with maximum compatibility



All - in - one Solutions

NivoTec® level monitoring and visualisation is centrally managed within applications using internet or mobile data transfer.

- Complete system for level indication, trend display, data storage, remote fill level analysis
- Fill control by alarm full detection



Experts in innovative measuring technology since 1977. We design reliable **SOlutions** and long-lasting products, tailor-made according to the **needs** of our customers.



UWT - Your global partner for the future

UWT GmbH - Level Control Westendstr. 5 87488 Betzigau Germany

Tel.: +49 (0) 831 57 123 0 Fax: +49 (0) 831 57 123 10

www.uwtgroup.com info@uwt.de

